

型号P/N	L (uH)	DCR(Ω)		Irms(A)	Isat(A)
		Typ	Max		
ASCD1005-100K	10	0.025	0.100	4.85	5.70
ASCD1005-120K	12	0.030	0.120	4.50	5.00
ASCD1005-150K	15	0.037	0.150	4.00	4.70
ASCD1005-180K	18	0.040	0.200	3.85	4.30
ASCD1005-220K	22	0.055	0.250	3.50	4.10
ASCD1005-270K	27	0.06	0.30	2.80	3.40
ASCD1005-330K	33	0.07	0.31	2.55	3.34
ASCD1005-390K	39	0.08	0.35	2.12	3.20
ASCD1005-470K	47	0.10	0.36	2.00	2.80
ASCD1005-560K	56	0.10	0.38	1.85	2.82
ASCD1005-680K	68	0.12	0.45	1.55	2.65
ASCD1005-820K	82	0.15	0.58	1.50	2.20
ASCD1005-101K	100	0.20	0.65	1.32	1.90
ASCD1005-121K	120	0.30	0.85	1.30	1.53
ASCD1005-151K	150	0.37	0.95	1.00	1.35
ASCD1005-181K	180	0.40	1.00	0.85	1.40
ASCD1005-221K	220	0.42	1.25	0.70	1.32
ASCD1005-271K	270	0.63	1.98	0.60	1.25
ASCD1005-331K	330	0.95	2.00	0.50	1.13
ASCD1005-391K	390	1.15	2.50	0.40	1.00

型号P/N	L (uH)	DCR(Ω)		Irms(A)	Isat(A)
		Typ	Max		
ASCD1006-100K	10	0.030	0.10	4.55	5.70
ASCD1006-120K	12	0.040	0.12	4.12	5.00
ASCD1006-150K	15	0.043	0.15	4.00	4.70
ASCD1006-180K	18	0.045	0.20	3.45	4.30
ASCD1006-220K	22	0.050	0.25	3.12	4.10
ASCD1006-270K	27	0.060	0.30	3.00	3.40
ASCD1006-330K	33	0.063	0.31	2.86	3.34
ASCD1006-390K	39	0.070	0.35	2.54	3.20
ASCD1006-470K	47	0.10	0.36	2.13	2.80
ASCD1006-560K	56	0.10	0.38	1.95	2.82
ASCD1006-680K	68	0.13	0.45	1.90	2.65
ASCD1006-820K	82	0.15	0.58	1.76	2.20
ASCD1006-101K	100	0.19	0.65	1.55	1.90
ASCD1006-121K	120	0.26	0.85	1.40	1.53
ASCD1006-151K	150	0.32	0.95	1.00	1.35
ASCD1006-181K	180	0.47	1.00	0.76	1.40
ASCD1006-221K	220	0.56	1.25	0.70	1.32
ASCD1006-271K	270	0.77	1.98	0.55	1.25
ASCD1006-331K	330	0.84	2.00	0.51	1.13
ASCD1006-391K	390	1.07	2.39	0.43	1.00

型号P/N	L (uH)	DCR(Ω)		Irms(A)	Isat(A)
		Typ	Max		
ASCD1007-102K	1000	1.82	2.10	0.50	1.0